Printing date 17.04.2020 Version: 6 Revision: 17.04.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Aktivierungslösung für Vorvergoldung

· Article number: 625008

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture

Surface active agent

Activator

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Schütz Dental GmbH, Dieselstrasse 5-6, D-61191 Rosbach v.d.H. (Germany)

Tel.: +49 (0)6003/814-0 Fax: +49 (0)6003/814-900 www.schuetz-dental.de; e-mail: info@schuetz-dental.de

· Further information obtainable from: F&E, Tel. +49 (0)6003/814-100

· 1.4 Emergency telephone number:

+49 (0) 6003 8140 Schütz Dental (8:00 - 17:00 Uhr) or

+49 (0) 6131 19240 Poison Information Center, University Mainz (24 h)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05

- · Signal word Danger
- Hazard-determining components of labelling:

sodium hydrogensulphate

· Hazard statements

H318 Causes serious eye damage.

· Precautionary statements

Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

· Labelling of packages where the contents do not exceed 125 ml

· Hazard pictograms



- · Signal word Danger
- Hazard-determining components of labelling:

sodium hydrogensulphate

(Contd. on page 2)

Printing date 17.04.2020 Version: 6 Revision: 17.04.2020

Trade name: Aktivierungslösung für Vorvergoldung

(Contd. of page 1)

· Hazard statements

H318 Causes serious eye damage.

· Precautionary statements

P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture consisting of the following components.

· Dangerous components:		
		2.5-10%
EINECS: 231-665-7	♦ Eye Dam. 1, H318	
	sodium fluoride	< 2.5%
EINECS: 231-667-8	🔗 Acute Tox. 3, H301; 🕠 Skin Irrit. 2, H315; Eye Irrit. 2, H319	
	alkali fluorosilicates (Na)	< 2.5%
EINECS: 240-934-8	♠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331	

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Immediately remove any clothing soiled by the product.
- · After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents -
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

CD

Printing date 17.04.2020 Version: 6 Revision: 17.04.2020

Trade name: Aktivierungslösung für Vorvergoldung

(Contd. of page 2)

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Storage between 10 °C and 25 °C.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Protection of hands:

Acid resistant gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.

· Material of gloves

Natural rubber, NR

Recommended thickness of the material: ≥ 0.1 mm

- · Penetration time of glove material 120 min.
- · Eye protection: Tightly sealed goggles.

(Contd. on page 4)

Printing date 17.04.2020 Version: 6 Revision: 17.04.2020

Trade name: Aktivierungslösung für Vorvergoldung

· Body protection: Acid resistant protective clothing

(Contd. of page 3)

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Colour: Colourless
Odour: Odourless
Odour threshold: Not determined.

- · pH-value at 20 °C:
- · Change in condition

Melting point/freezing point: undetermined **Initial boiling point and boiling range:** 100 °C

- · Flash point: Not applicable
- · Flammability (solid, gaseous) Not applicable.
- · Decomposition temperature: Not determined.
- · Auto-ignition temperature: Product is not selfigniting.
- Explosive properties: Product does not present an explosion hazard.

Not determined.

1-2

· Explosion limits:

Lower:

Upper:Not determined.· Vapour pressure at 20 °C:23 hPa

- Density: Not determined
 Relative density Not determined
 Vapour density Not determined
 Evaporation rate Not determined
- · Solubility in / Miscibility with

Water: Not miscible or difficult to mix

- · Partition coefficient: n-octanol/water: Not determined.
- · Viscosity:

dynamic: Not determined. kinematic: Not determined.

· Solvent content:

Organic solvents: 0.0 %

• 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Sulphur dioxide

(Contd. on page 5)

Printing date 17.04.2020 Version: 6 Revision: 17.04.2020

Trade name: Aktivierungslösung für Vorvergoldung

Hydrogen fluoride

(Contd. of page 4)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

Sodium fluoride LD50 52 mg/kg oral rat Alkali hexafluoro silicate (Na) LD50 125 mg/kg oral rat

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· European waste catalogue

06 03 14 solid salts and solutions other than those mentioned in 06 03 11 and 06 03 13

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

CD

 Printing date 17.04.2020
 Version: 6
 Revision: 17.04.2020

Trade name: Aktivierungslösung für Vorvergoldung

(Contd. of page 5)

14 1 IIN N I		
14.1 UN-Number ADR, IMDG, IATA	UN3264	
14.2 UN proper shipping name ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGAN N.O.S. (sodium hydrogensulphate) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.C (sodium hydrogensulphate)	
IMDG, IATA		
14.3 Transport hazard class(es)		
ADR		
Class Label	8 (C1) Corrosive substances. 8	
IMDG, IATA		
<u>ut</u> <u>200</u>		
Class	8 Corrosive substances.	
Label	8	
14.4 Packing group ADR, IMDG, IATA	II	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user Hazard identification number (Kemler code):	Warning: Corrosive substances.	
EMS Number: Segregation groups	F-A,S-B Acids	
Stowage Category	B	
Stowage Code	SW2 Clear of living quarters.	
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	of Not applicable.	
Transport/Additional information:		
ADR		
Limited quantities (LQ) Excepted quantities (EQ)	IL Code: E2	
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	
Transport category Tunnel restriction code	2 E	
IMDG		
Limited quantities (LQ) Excepted quantities (EQ)	IL Code: E2	
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	

Printing date 17.04.2020 Version: 6 Revision: 17.04.2020

Trade name: Aktivierungslösung für Vorvergoldung

(Contd. of page 6)

· UN "Model Regulation":

UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (SODIUM HYDROGENSULPHATE), 8, II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations
- · Technical instructions (air):

Class	Share in %
III	< 2,5

- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

- · Department issuing SDS: Schütz Dental GmbH
- · Contact: Dr. U. Krichbaum
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IMDG: International Marttime Code for Bung IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity - oral - Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

* Data compared to the previous version altered.

GB