

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.10.2022

Version: 12

Revision: 25.10.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Capo Etch
- **Article number:** 234013
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Discharging agent
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Schütz Dental GmbH, Dieselstrasse 5-6, D-61191 Rosbach v.d.H. (Germany)
Tel.: +49 (0)6003/814-0 Fax: +49 (0)6003/814-906
www.schuetz-dental.de; e-mail: info@schuetz-dental.de
- **Further information obtainable from:** Tel.: +49 (0)6003/814-630
- **1.4 Emergency telephone number:**
+49 (0) 6003 8140 Schütz Dental (8:00 - 17:00 Uhr) or
+49 (0) 6131 19240 Poison Information Center, University Mainz (24 h)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Skin Corr. 1B H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labelling:**
phosphoric acid
- **Hazard statements**
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P321 Specific treatment (see on this label).
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

GB

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.10.2022

Version: 12

Revision: 25.10.2022


Trade name: *Capo Etch*

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** phosphoric acid gel 37,5 %

- **Dangerous components:**

CAS: 7664-38-2	phosphoric acid	25-50%
EINECS: 231-633-2	 Skin Corr. 1B, H314 Specific concentration limits: Skin Corr. 1B; H314: $C \geq 25\%$ Skin Irrit. 2; H315: $10\% \leq C < 25\%$ Eye Irrit. 2; H319: $10\% \leq C < 25\%$	

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information** Immediately remove any clothing soiled by the product.
- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact**
Immediately wash with water and soap and rinse thoroughly.
Seek medical treatment.
- **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing**
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents** Water with full jet.
- **5.2 Special hazards arising from the substance or mixture**
Vapours of toxic phosphoroxides are developed during thermal decomposition.
- **5.3 Advice for firefighters**
- **Protective equipment:**
Acid-resisting clothing
Wear self-contained respiratory protective device.
- **Additional information**
Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Avoid eye and skin contact with the substance.
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.10.2022

Version: 12

Revision: 25.10.2022

Trade name: *Capo Etch*

(Contd. of page 2)

- **6.4 Reference to other sections**
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
- Keep receptacles tightly sealed.
- Open and handle receptacle with care.
- **Information about fire - and explosion protection:** The product is not flammable
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:**
- Do not use light alloy receptacles.
- Storage between 10 °C and 25 °C.
- **Information about storage in one common storage facility:**
- Do not store together with alkalis (caustic solutions).
- Store away from oxidising agents.
- **Further information about storage conditions:** Protect from heat and direct sunlight.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**

7664-38-2 phosphoric acid	
WEL	Short-term value: 2 mg/m ³
	Long-term value: 1 mg/m ³

- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures**
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- Do not eat, drink, smoke or sniff while working.
- **Respiratory protection:** Not required.
- **Hand protection** Acid resistant gloves
- **Material of gloves**
- PVC gloves
- Nitrile rubber, NBR
- Neoprene gloves
- **Penetration time of glove material**
- 0,11 mm
- Penetration time 10 min.
- **Eye/face protection** Tightly sealed goggles.
- **Body protection:** Protective work clothing.

GB

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.10.2022

Version: 12

Revision: 25.10.2022

Trade name: *Capo Etch*

(Contd. of page 3)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· <i>Physical state</i>	<i>Fluid</i>
· <i>Colour:</i>	<i>Red</i>
· <i>Odour:</i>	<i>undistinguishable</i>
· <i>Odour threshold:</i>	<i>Not determined.</i>
· <i>Melting point/freezing point:</i>	<i>undetermined</i>
· <i>Boiling point or initial boiling point and boiling range</i>	<i>213 °C</i>
· <i>Flammability</i>	<i>Not applicable.</i>
· <i>Lower and upper explosion limit</i>	
· <i>Lower:</i>	<i>Not determined.</i>
· <i>Upper:</i>	<i>Not determined.</i>
· <i>Flash point:</i>	<i>Not applicable</i>
· <i>Ignition temperature:</i>	<i>400 °C</i>
· <i>Decomposition temperature:</i>	<i>Not determined.</i>
· <i>pH at 20 °C</i>	<i>1</i>
· <i>Viscosity:</i>	
· <i>Kinematic viscosity</i>	<i>Not determined.</i>
· <i>dynamic at 20 °C:</i>	<i>4,800 mPas</i>
· <i>Solubility</i>	
· <i>Water:</i>	<i>Fully miscible</i>
· <i>Partition coefficient n-octanol/water (log value)</i>	<i>Not determined.</i>
· <i>Vapour pressure at 20 °C:</i>	<i>23 hPa</i>
· <i>Density and/or relative density</i>	
· <i>Density at 20 °C:</i>	<i>1.3 g/cm³</i>
· <i>Relative density</i>	<i>Not determined.</i>
· <i>Vapour density</i>	<i>Not determined.</i>

· 9.2 Other information

· <i>Appearance:</i>	
· <i>Form:</i>	<i>Pasty</i>
· <i>Important information on protection of health and environment, and on safety.</i>	
· <i>Auto-ignition temperature:</i>	<i>Product is not selfigniting.</i>
· <i>Explosive properties:</i>	<i>Product does not present an explosion hazard.</i>
· <i>Solvent content:</i>	
· <i>Organic solvents:</i>	<i>0.0 %</i>
· <i>Change in condition</i>	
· <i>Evaporation rate</i>	<i>Not determined.</i>

· Information with regard to physical hazard classes

· <i>Explosives</i>	<i>Void</i>
· <i>Flammable gases</i>	<i>Void</i>
· <i>Aerosols</i>	<i>Void</i>
· <i>Oxidising gases</i>	<i>Void</i>
· <i>Gases under pressure</i>	<i>Void</i>
· <i>Flammable liquids</i>	<i>Void</i>
· <i>Flammable solids</i>	<i>Void</i>
· <i>Self-reactive substances and mixtures</i>	<i>Void</i>
· <i>Pyrophoric liquids</i>	<i>Void</i>
· <i>Pyrophoric solids</i>	<i>Void</i>
· <i>Self-heating substances and mixtures</i>	<i>Void</i>
· <i>Substances and mixtures, which emit flammable gases in contact with water</i>	<i>Void</i>
· <i>Oxidising liquids</i>	<i>Void</i>
· <i>Oxidising solids</i>	<i>Void</i>

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.10.2022

Version: 12

Revision: 25.10.2022

Trade name: Capo Etch

(Contd. of page 4)

· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**
Heating occurs when water is added
Reacts with alkali (lyes)
Reacts with various metals
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Skin corrosion/irritation** Causes severe skin burns and eye damage.
- **Serious eye damage/irritation** Causes serious eye damage.
- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**
Must not reach sewage water or drainage ditch undiluted or unneutralised.
Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

GB

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.10.2022

Version: 12

Revision: 25.10.2022

Trade name: *Capo Etch*

(Contd. of page 5)

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· **Uncleaned packaging:**

· **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR, IMDG, IATA**

UN1805

· **14.2 UN proper shipping name**

· **ADR**

1805 PHOSPHORIC ACID, SOLUTION

· **IMDG, IATA**

PHOSPHORIC ACID, SOLUTION

· **14.3 Transport hazard class(es)**

· **ADR**



· **Class**

8 (C1) Corrosive substances.

· **Label**

8

· **IMDG, IATA**



· **Class**

8 Corrosive substances.

· **Label**

8

· **14.4 Packing group**

· **ADR, IMDG, IATA**

III

· **14.5 Environmental hazards:**

· **Marine pollutant:**

No

· **14.6 Special precautions for user**

Warning: Corrosive substances.

· **Hazard identification number (Kemler code):**

80

· **EMS Number:**

F-A,S-B

· **Segregation groups**

(SGG1) Acids

· **Stowage Category**

A

· **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

· **Transport/Additional information:**

· **ADR**

· **Limited quantities (LQ)**

5L

· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.10.2022

Version: 12

Revision: 25.10.2022

Trade name: Capo Etch

(Contd. of page 6)

· Transport category	3
· Tunnel restriction code	E
<hr style="border-top: 1px dashed black;"/>	
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1805 PHOSPHORIC ACID, SOLUTION, 8, III

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations**
- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
H314 Causes severe skin burns and eye damage.
- **Department issuing SDS:** F & E
- **Contact:** Dr. U. Krichbaum
- **Abbreviations and acronyms:**
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
- *** Data compared to the previous version altered.**

GB