Printing date 05.09.2018

Version: 10

Revision: 05.09.2018

1.1 Product identifie	<i>,</i>
Trade name: <u>FuturA</u>	cryl 2000 Pulver
No further relevant in	ed uses of the substance or mixture and uses advised against
Manufacturer/Suppl Schütz Dental GmbH Tel.: +49 (0)6003/81	plier of the safety data sheet ier: . Dieselstrasse 5-6, D-61191 Rosbach v.d.H. (Germany) 4-0 Fax: +49 (0)6003/814-900 le; e-mail: info@schuetz-dental.de
1.4 Emergency telep +49 (0) 6003 8140 S	obtainable from: F&E, Tel. +49 (0)6003/814-100 hone number: chütz Dental (8:00 - 17:00 Uhr) or Poison Information Center, University Mainz (24 h)
2.1 Classification of	cards identification the substance or mixture
2.1 Classification of Classification accord The product is not cla	ards identification
2.1 Classification of Classification accord The product is not clo 2.2 Label elements Labelling according Hazard pictograms	cards identification the substance or mixture ling to Regulation (EC) No 1272/2008 assified, according to the CLP regulation. to Regulation (EC) No 1272/2008 Void
2.1 Classification of Classification accord The product is not cla 2.2 Label elements Labelling according Hazard pictograms V Signal word Void Hazard statements V	cards identification the substance or mixture ling to Regulation (EC) No 1272/2008 issified, according to the CLP regulation. to Regulation (EC) No 1272/2008 Void Void
2.1 Classification of Classification accord The product is not cla 2.2 Label elements Labelling according Hazard pictograms V Signal word Void Hazard statements V Additional informati Contains dibenzoyl p	cards identification the substance or mixture ling to Regulation (EC) No 1272/2008 issified, according to the CLP regulation. to Regulation (EC) No 1272/2008 Void to Regulation (EC) No 1272/2008 Void oid oid on: eroxide. May produce an allergic reaction.
2.1 Classification of Classification accord The product is not cla 2.2 Label elements Labelling according Hazard pictograms V Signal word Void Hazard statements V Additional informati Contains dibenzoyl p Safety data sheet ava	cards identification the substance or mixture ling to Regulation (EC) No 1272/2008 issified, according to the CLP regulation. to Regulation (EC) No 1272/2008 Void to Regulation (EC) No 1272/2008 Void oid oid on: eroxide. May produce an allergic reaction.
2.1 Classification of Classification accord The product is not cla 2.2 Label elements Labelling according Hazard pictograms V Signal word Void Hazard statements V Additional informati Contains dibenzoyl p Safety data sheet ava Labelling of package Hazard pictograms V	cards identification the substance or mixture ling to Regulation (EC) No 1272/2008 assified, according to the CLP regulation. to Regulation (EC) No 1272/2008 Void to Regulation (EC) No 1272/2008 Void oid oid on: eroxide. May produce an allergic reaction. ilable on request. as where the contents do not exceed 125 ml
2.1 Classification of Classification accord The product is not cla 2.2 Label elements Labelling according Hazard pictograms V Signal word Void Hazard statements V Additional informati Contains dibenzoyl p Safety data sheet ava Labelling of package Hazard pictograms V Signal word Void Hazard statements V	Cards identification the substance or mixture ling to Regulation (EC) No 1272/2008 assified, according to the CLP regulation. to Regulation (EC) No 1272/2008 Void Void oid oid oid on: eroxide. May produce an allergic reaction. ilable on request. s where the contents do not exceed 125 ml Void
2.1 Classification of Classification accord The product is not cla 2.2 Label elements Labelling according Hazard pictograms V Signal word Void Hazard statements V Additional informati Contains dibenzoyl p Safety data sheet ava	Curds identification the substance or mixture ling to Regulation (EC) No 1272/2008 Issified, according to the CLP regulation. to Regulation (EC) No 1272/2008 Void 'oid oid oid oid oin: eroxide. May produce an allergic reaction. ilable on request. is where the contents do not exceed 125 ml 'oid oid PVB assessment

• 3.2 Chemical characterisation: Mixtures • Description: Acryl-resin on base of polymethylmethacrylate

• Dangerous components: Void

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· General information No special measures required.

· After inhalation Supply fresh air; consult doctor in case of complaints.

· After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

(Contd. on page 2) GB

Printing date 05.09.2018

Version: 10

Revision: 05.09.2018

(Contd. of page 1)

Trade name: FuturAcryl 2000 Pulver

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot 4.3 Indication of any immediate medical attention and special treatment needed
 - No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents
- Carbon dioxide
- Fire-extinguishing powder

Foam

Water haze

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- Avoid eye and skin contact with the substance.
- 6.2 Environmental precautions: No special measures required.
- · 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- · 6.4 Reference to other sections No dangerous substances are released.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Prevent formation of dust.
- · Information about fire and explosion protection: Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities

· Storage

- Requirements to be met by storerooms and receptacles: Storage between 10 °C and 25 °C.
- Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Store in dry conditions.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Personal protective equipment
- · General protective and hygienic measures
- The usual precautionary measures are to be adhered to when handling chemicals.
- · Respiratory protection: Not necessary if room is well-ventilated.
- · Protection of hands: Protective gloves.

(Contd. on page 3)

Printing date 05.09.2018

*

Version: 10

Revision: 05.09.2018

(Contd. of page 2)

Trade name: FuturAcryl 2000 Pulver

• Material of gloves Butyl rubber, BR Nitrile rubber, NBR • Penetration time of glove material 0,3 mm Penetration time 60 min. 0,11 mm Penetration time 10 min.

• Eye protection: Not required.

SECTION 9: Physical and chemical properties

General Information		
Appearance:		
Form:	Powder	
Colour:	According to product specification	
Odour: Odour threshold:	Nearly odourless Not determined.	
pH-value:	Not determined	
Change in condition		
Melting point/freezing point:	110 °C	
Initial boiling point and boiling range	: undetermined	
Flash point:	>250 °C	
Flammability (solid, gaseous)	Not determined.	
Ignition temperature:	>400 °C	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined	
Upper:	Not determined	
Vapour pressure:	Not determined	
Density at 20 °C:	1.16 g/cm ³	
Bulk density:	700-750 kg/m ³	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Insoluble	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
dynamic:	Not applicable.	
kinematic:	Not determined	
Solvent content:		
Solids content:	100.0 %	

Printing date 05.09.2018

Version: 10

Revision: 05.09.2018

(Contd. of page 3)

Trade name: FuturAcryl 2000 Pulver

• 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

During thermic decomposition, flamable fumes which may irritate the eyes and which consist of methylmethacrylate are developed.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- Caused by our manufacturing procedures, there is a content of dibenzovlperoxide of max. 0,5 %.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- $\cdot \textit{STOT-repeated exposure} \textit{ Based on available data, the classification criteria are not met.}$
- \cdot Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes: Generally not hazardous for water.
- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

(Contd. on page 5)

Printing date 05.09.2018

Version: 10

Revision: 05.09.2018

Trade name: FuturAcryl 2000 Pulver

(Contd. of page 4)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

On the basis of the necessary technical regulations and after consultation with the disposal agent and the relevant authorities, can be disposed of with domestic waste or incinerated with domestic waste.

· European waste catalogue

07 02 13 waste plastic

· Uncleaned packaging:

· Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport informat	ion
14.1 UN-Number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Anne Marpol and the IBC Code	ex II of Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations

· Waterhazard class: Generally not hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS: F & E

· Contact: Dr. U. Krichbaum

(Contd. on page 6)

GB

Printing date 05.09.2018

Version: 10

Revision: 05.09.2018

Trade name: FuturAcryl 2000 Pulver

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

 \cdot * Data compared to the previous version altered.

(Contd. of page 5)

GB