according to UK REACH Regulation

|   | Futura Press LT Flüss   | sigkeit                                 |              |
|---|---|---|--------------|
| Revision date: 27.02.2025                                     | Product code: 6501  | 61                                      | Page 1 of 10 |
| SECTION 1: Identification of the                              | substance/mixture and of the con  | npany/undertaking                       |              |
| <u>1.1. Product identifier</u><br>Futura Press LT Flüssigkeit |   |   |              |
| Further trade names<br>ArtNr.: 650161, 650162                 |   |   |              |
| UFI:  | 7J10-907R-500V-RTDX   |   |              |
| 1.2. Relevant identified uses of the                          | substance or mixture and uses advise                                      | ed against                              |              |
| Use of the substance/mixture<br>Denture base material         |   |   |              |
| 1.3. Details of the supplier of the sa                        | fety data sheet   |   |              |
| Company name:   | Schütz Dental GmbH  |   |              |
| Street:   | Dieselstrasse 5-6   |   |              |
| Place:<br>Telephone:<br>E-mail:                               | D-61191 Rosbach (Germany)<br>+49 (0) 6003 814-0<br>info@schuetz-dental.de | Telefax: +49 (0) 6003 814-906           | i            |
| Contact person:<br>Internet:                                  | Dr. Uwe Krichbaum<br>www.schuetz-dental.de                                | Telephone:+49 (0) 6003 814-650          | )            |
| Responsible Department:                                       | Technische Dokumentation  |   |              |
| <u>1.4. Emergency telephone</u><br>number:                    | +49 (0) 6003 814-0 Schütz Dental (<br>University Mainz (24 h)             | 8:00 - 17:00 Uhr) or +49 (0) 6131 19240 |              |
| SECTION 2: Hazards identificati                               | on  |   |              |
| 2.1. Classification of the substance                          | or mixture  |   |              |

# GB CLP Regulation

Flam. Liq. 2; H225 Skin Irrit. 2; H315 Skin Sens. 1; H317 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

#### GB CLP Regulation

Hazard components for labelling

methyl methacrylate tetramethylene dimethacrylate

Danger

# Signal word: Pictograms:



# Hazard statements

| H225 | Highly flammable liquid and vapour.  |
|------|--------------------------------------|
| H315 | Causes skin irritation.              |
| H317 | May cause an allergic skin reaction. |
| H335 | May cause respiratory irritation.    |

# **Precautionary statements**

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

according to UK REACH Regulation

|   | Futura Press LT Flüssigkeit  |              |
|---|--|--------------|
| Revision date: 27.02.2025                   | Product code: 650161   | Page 2 of 10 |
|   | smoking.   |              |
| P241  | Use explosion-proof electrical/ventilating/lighting equipment.   |              |
| P261  | Avoid breathing dust/fume/gas/mist/vapours/spray.  |              |
| P303+P361+P353                              | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with wate<br>or shower. | er           |
| P405  | Store locked up.   |              |
| P501  | Dispose of waste according to applicable legislation.  |              |
| Labelling of packages v                     | vhere the contents do not exceed 125 ml  |              |
| Signal word:                                | Danger   |              |
| Pictograms:                                 |  |              |
| Hazard statements                           | • •  |              |
| H317  |  |              |
| Precautionary statemer<br>P261-P501         | nts  |              |
| 2.3. Other hazards<br>No information availa | ble  |              |
|   |  |              |
| SECTION 3: Compositio                       | n/information on ingredients   |              |
| <u>3.2. Mixtures</u>                        |  |              |

#### **Relevant ingredients**

| CAS No    | Chemical name               |                                    |               | Quantity     |
|-----------|-----------------------------|------------------------------------|---------------|--------------|
|           | EC No                       | Index No                           | REACH No      |              |
|           | Classification (GB CLP      | Regulation)                        |               |              |
| 80-62-6   | methyl methacrylate         |                                    |               | 75 - < 100 % |
|           | 201-297-1                   | 607-035-00-6                       |               |              |
|           | Flam. Liq. 2, Skin Irrit. 2 | , Skin Sens. 1, STOT SE 3; H225 H3 | 315 H317 H335 |              |
| 2082-81-7 | tetramethylene dimetha      | crylate                            |               | 2.5 - < 10 % |
|           | 218-218-1                   | 607-134-00-4                       |               |              |
|           | Skin Sens. 1B; H317         |                                    |               |              |

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

| CAS No  | EC No                                    | Chemical name       | Quantity     |
|---------|--|---------------------|--------------|
|         | Specific Conc. Limits, M-factors and ATE |                     |              |
| 80-62-6 | 201-297-1                                | methyl methacrylate | 75 - < 100 % |
|         | oral: LD50 = 7.872 mg/kg mg/kg           |                     |              |

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an

according to UK REACH Regulation

#### Futura Press LT Flüssigkeit

Revision date: 27.02.2025

Product code: 650161

Page 3 of 10

#### ophthalmologist immediately.

#### After ingestion

Rinse mouth immediately and drink 1 glass of of water. Do NOT induce vomiting. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media

#### Water spray jet

Carbon dioxide (CO2), Foam, Extinguishing powder.

#### Unsuitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

#### 6.3. Methods and material for containment and cleaning up

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Provide adequate ventilation.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

according to UK REACH Regulation

#### Futura Press LT Flüssigkeit

Revision date: 27.02.2025

Product code: 650161

Page 4 of 10

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Recommended storage temperature 10 - 25 °C

#### Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

#### 7.3. Specific end use(s)

Denture base material

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Exposure limits (EH40)**

| CAS No  | Substance           | ppm | mg/m³ | fibres/ml | Category      | Origin |
|---------|---------------------|-----|-------|-----------|---------------|--------|
| 80-62-6 | Methyl methacrylate | 50  | 208   |           | TWA (8 h)     | WEL    |
|         |                     | 100 | 416   |           | STEL (15 min) | WEL    |

### 8.2. Exposure controls



#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear eye/face protection.

#### Hand protection

Tested protective gloves must be worn Suitable material: Butyl caoutchouc (butyl rubber) NBR (Nitrile rubber) Permeation time (maximum wear duration): 0,3 mm: 60 min. Permeation time (maximum wear duration): 0,11 mm: 10 min.

#### Skin protection

Protective clothing.

#### **Respiratory protection**

Usually no personal respirative protection necessary. Respiratory protection necessary at: high concentrations Filter type: A

#### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

| Physical state:               | Liquid     |
|-------------------------------|------------|
| Colour:                       | colourless |
| Melting point/freezing point: |            |

not determined

#### according to UK REACH Regulation

| Futur  | a Press LT Flüssigkeit |              |
|--|------------------------|--------------|
| Revision date: 27.02.2025  | Product code: 650161   | Page 5 of 10 |
| Boiling point or initial boiling point and boiling range:  | 101 °C                 |              |
| Flammability:  | not determined         |              |
| Lower explosion limits:  | 2,1 vol. %             |              |
| Upper explosion limits:  | 12,5 vol. %            |              |
| Flash point:   | 10 °C                  |              |
| Auto-ignition temperature:   | 430 °C                 |              |
| Decomposition temperature:   | not determined         |              |
| pH-Value:  | not determined         |              |
| Viscosity / kinematic:   | not determined         |              |
| Water solubility:  | No                     |              |
| Solubility in other solvents<br>not determined   |                        |              |
| Partition coefficient n-octanol/water:   | not determined         |              |
| Vapour pressure:<br>(at 20 °C)   | 47 hPa                 |              |
| Density:   | 0,94 g/cm³             |              |
| Relative vapour density:   | not determined         |              |
| Particle characteristics:  | not applicable         |              |
| 9.2. Other information   |                        |              |
| Information with regard to physical hazard classes<br>Explosive properties<br>The product is not: Explosive.<br>Oxidizing properties<br>The product is not: oxidising. |                        |              |

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Highly flammable.

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Hazardous polymerisation:

#### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

#### 10.5. Incompatible materials

Polymerization with heat evolution may occur in the presence of radical forming substances (e.g. peroxides), reducing substances, and/or heavy metal ions.

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

according to UK REACH Regulation

#### Futura Press LT Flüssigkeit

Revision date: 27.02.2025

Product code: 650161

Page 6 of 10

| CAS No  | Chemical name       |                           |         |        |        |
|---------|---------------------|---------------------------|---------|--------|--------|
|         | Exposure route      | Dose                      | Species | Source | Method |
| 80-62-6 | methyl methacrylate |                           | -       | -      |        |
|         |                     | LD50 7.872<br>mg/kg mg/kg |         |        |        |

#### Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

May cause an allergic skin reaction. (methyl methacrylate; tetramethylene dimethacrylate)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause respiratory irritation. (methyl methacrylate)

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

# The product is not: Ecotoxic. **12.2. Persistence and degradability**

The product has not been tested.

# 12.3. Bioaccumulative potential

The product has not been tested.

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

# Further information

Avoid release to the environment.

#### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

according to UK REACH Regulation

#### Futura Press LT Flüssigkeit

Revision date: 27.02.2025

Product code: 650161

Page 7 of 10

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Send to a hazardous waste incinerator facility under observation of official regulations.

#### List of Wastes Code - residues/unused products

070104 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals; other organic solvents, washing liquids and mother liquors; hazardous waste

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

### **SECTION 14: Transport information**

| Land transport (ADR/RID)                        |  |
|---|--|
| 14.1. UN number or ID number:                   | UN 1247  |
| 14.2. UN proper shipping name:                  | 1247 METHYLMETHACRYLAT, MONOMER, STABILISIERT, Gemisch |
| 14.3. Transport hazard class(es):               | 3  |
| 14.4. Packing group:                            | II   |
| Hazard label:                                   | 3  |
|   |  |
| Classification code:                            | F1   |
| Limited quantity:                               | 1L   |
| Transport category:                             | 2  |
| Hazard No:                                      | 33   |
| Tunnel restriction code:                        | D/E  |
| Other applicable information (land transp       | ort)   |
| E2  |  |
| Inland waterways transport (ADN)                |  |
| 14.1. UN number or ID number:                   | UN 1247  |
| 14.2. UN proper shipping name:                  | 1247 METHYLMETHACRYLAT, MONOMER, STABILISIERT, Gemisch |
| 14.3. Transport hazard class(es):               | 3  |
| 14.4. Packing group:                            | II   |
| Hazard label:                                   | 3  |
|   |  |
| Classification code:                            | F1   |
| Limited quantity:                               | 1L   |
| Other applicable information (inland wate<br>E2 | erways transport)                                      |
| Marine transport (IMDG)                         |  |
| 14.1. UN number or ID number:                   | UN 1247  |
| 14.2. UN proper shipping name:                  | METHYL METHACRYLATE MONOMER, STABILIZED mixture        |
| 14.3. Transport hazard class(es):               | 3  |
| 14.4. Packing group:                            | II   |
| Hazard label:                                   | 3  |
|   |  |

according to UK REACH Regulation

|   | Futura Press LT Flüssigkeit   |              |
|---|---|--------------|
| Revision date: 27.02.2025   | Product code: 650161  | Page 8 of 10 |
| Marine pollutant:   | Nein  |              |
| EmS:  | F-E,S-D   |              |
| Air transport (ICAO-TI/IATA-DGR)  |   |              |
| 14.1. UN number or ID number:   |   |              |
| 14.2. UN proper shipping name:  | METHYL METHACRYLATE MONOMER, STABILIZED mixture   |              |
| <u>14.3. Transport hazard class(es):</u><br>14.4. Packing group:  | 3<br>II   |              |
| Hazard label:   | 3   |              |
|   |   |              |
| 14.5. Environmental hazards   |   |              |
| ENVIRONMENTALLY HAZARDOUS:  | No  |              |
| <ul> <li><u>14.6. Special precautions for user</u><br/>Warning: Combustible liquid.</li> <li><u>14.7. Maritime transport in bulk according to</u><br/>not applicable</li> </ul> | IMO instruments   |              |
| SECTION 15: Regulatory information  |   |              |
| 15.1. Safety, health and environmental regul  | ations/legislation specific for the substance or mixture  |              |
| EU regulatory information   |   |              |
| Restrictions on use (REACH, annex XVII):  |   |              |
| Entry 3, Entry 40, Entry 75   |   |              |
| Information according to Directive 2012/18/EU (SEVESO III):   | P5c FLAMMABLE LIQUIDS   |              |
| National regulatory information   |   |              |
| Employment restrictions:  | Observe restrictions to employment for juveniles according to the 'juver work protection guideline' (94/33/EC). | nile         |
| Water hazard class (D):   | 1 - slightly hazardous to water   |              |
| Skin resorption/Sensitization:  | Causes allergic hypersensitivity reactions.   |              |
| 15.2. Chemical safety assessment  |   |              |
| Chemical safety assessments for subs  | ances in this mixture were not carried out.   |              |
| SECTION 16: Other information   |   |              |

### Changes

This data sheet contains changes from the previous version in section(s): 1.

according to UK REACH Regulation

#### Futura Press LT Flüssigkeit

Revision date: 27.02.2025

Product code: 650161

Page 9 of 10

### Abbreviations and acronyms Flam. Liq: Flammable liquids Skin Irrit: Skin irritation Skin Sens: Skin sensitisation STOT SE: Specific target organ toxicity - single exposure CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals **UN: United Nations** EC/EEC: European Community/European Economic Community EU: European Union CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LC50: Lethal concentration. 50% LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative M-factor: Multiplying factor ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road ) RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) IMDG: International Maritime Code for Dangerous Goods EmS: Emergency Schedules MFAG: Medical First Aid Guide IATA: International Air Transport Association DGR: Dangerous Goods Regulations ICAO: International Civil Aviation Organization **TI: Technical Instructions** MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification      | Classification procedure |
|---------------------|--------------------------|
| Flam. Liq. 2; H225  | On basis of test data    |
| Skin Irrit. 2; H315 | Calculation method       |
| Skin Sens. 1; H317  | Calculation method       |
| STOT SE 3; H335     | Calculation method       |

#### Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.

Causes skin irritation.

H315

according to UK REACH Regulation

#### Futura Press LT Flüssigkeit

Revision date: 27.02.2025

Product code: 650161

Page 10 of 10

H317May cause an allergic skin reaction.H335May cause respiratory irritation.

#### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)