ccoraing to 190//2006/EC, Article

Printing date 05.05.2022

Version: 14 (replaces version 13)

Revision: 05.05.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: <u>Futura Press LT Flüssigkeit</u>

• Article number: 650161, 650162

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance / the mixture self curing resin

1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Schütz Dental GmbH, Dieselstrasse 5-6, D-61191 Rosbach v.d.H. (Germany) Tel.: +49 (0)6003/814-0 Fax: +49 (0)6003/814-900 www.schuetz-dental.de; e-mail: info@schuetz-dental.de

• Further information obtainable from: F&E, Tel.: +49 (0)6003/814-0

· 1.4 Emergency telephone number:

+49 (0) 6003 8140 Schütz Dental (8:00 - 17:00 Uhr) or

+49 (0) 6131 19240 Poison Information Center, University Mainz (24 h)

## **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



· Signal word Danger

• Hazard-determining components of labelling: methyl methacrylate

tetramethylene dimethacrylate

· Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

- P241 Use explosion-proof [electrical/ventilating/lighting] equipment.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
   P405 Store locked up.
- P405 Store locked up.
- *P501* Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2) GB

Printing date 05.05.2022

Version: 14 (replaces version 13)

Revision: 05.05.2022

(Contd. of page 1)

75-100%

2.5-10%

### Trade name: Futura Press LT Flüssigkeit

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- *Description: Liquid based on methacryl acid ester, containing an activator.*

· Dangerous components:		
	methyl methacrylate	
EINECS: 201-297-1	🚸 Flam. Liq. 2, H225; 🚸 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	

CAS: 2082-81-7 tetramethylene dimethacrylate EINECS: 218-218-1 Skin Sens. 1B, H317

· Additional information For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- · General information Immediately remove any clothing soiled by the product.
- · After inhalation
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- *After swallowing* Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents Water haze
- Foam

Fire-extinguishing powder

Carbon dioxide

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- 5.2 Special hazards arising from the substance or mixture Can form explosive gas-air mixtures.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information
- Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

(Contd. on page 3)

Version: 14 (replaces version 13)

Revision: 05.05.2022

### Trade name: Futura Press LT Flüssigkeit

Printing date 05.05.2022

(Contd. of page 2)

## **SECTION 6:** Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Wear protective clothing.
- Avoid eye and skin contact with the substance.

Wear protective equipment. Keep unprotected persons away.

- Keep away from ignition sources
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

• 6.4 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

• Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- *Requirements to be met by storerooms and receptacles:* Storage between 10 °C and 25 °C.
- · Information about storage in one common storage facility: Store away from foodstuffs.

• Further information about storage conditions:

Keep receptacle tightly sealed.

- Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

### 80-62-6 methyl methacrylate

WEL Short-term value: 416 mg/m<sup>3</sup>, 100 ppm Long-term value: 208 mg/m<sup>3</sup>, 50 ppm

· Additional information: The lists valid during the making were used as basis.

### · 8.2 Exposure controls

- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.

## Respiratory protection:

Not necessary if room is well-ventilated.

- Use suitable respiratory protective device when high concentrations are present. Filter A
- Hand protection Solvent resistant gloves

(Contd. on page 4)

GB

Printing date 05.05.2022

\*

Version: 14 (replaces version 13)

Revision: 05.05.2022

### Trade name: Futura Press LT Flüssigkeit

Material of gloves Butyl rubber, BR Nitrile rubber, NBR
Penetration time of glove material 0,3 mm Penetration time 60 min.
0,11 mm Penetration time 10 min.
Eye/face protection Tightly sealed goggles.

• Body protection: Solvent resistant protective clothing

(Only when handling large quantities)

# **SECTION 9: Physical and chemical properties**

• 9.1 Information on basic physical and chemical p • General Information	p
· Physical state	Fluid
· Colour:	Colourless
· Odour:	Ester-like
• Odour threshold:	Not determined.
• Melting point/freezing point:	-48 °C
· Boiling point or initial boiling point and boiling	
range	100 °C
· Flammability	Not applicable.
· Lower and upper explosion limit	••
· Lower:	2.1 Vol %
· Upper:	12.5 Vol %
· Flash point:	10 °C
· Ignition temperature:	430 °C
· Decomposition temperature:	Not determined.
· pH	Not determined
· Viscosity:	
· Kinematic viscosity	Not determined
· dynamic:	Not determined
· Solubility	
· Water:	Not miscible or difficult to mix
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure at 20 °C:	47 hPa
· Density and/or relative density	
· Density at 20 °C:	$0.9451 \text{ g/cm}^3$
Relative density	Not determined.
· Vapour density	Not determined.
• 9.2 Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health an	d
environment, and on safety.	
· Auto-ignition temperature:	Product is not selfigniting.
• Explosive properties:	Product is not explosive. However, formation of
	explosive air/vapour mixtures are possible.
· Solvent content:	1
· Organic solvents:	0.0 %
· Change in condition	
· Evaporation rate	Not determined.

(Contd. of page 3)

Printing date 05.05.2022

Version: 14 (replaces version 13)

Revision: 05.05.2022

Trade name: Futura Press LT Flüssigkeit

		(Contd. of page 4
Information with regard to physical hazard	classes	
· Explosives	Void	
· Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Highly flammable liquid and vapour.	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
· Desensitised explosives	Void	

### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions Exothermic polymerization

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials:

In presence of radical formers (e. g. peroxides), deoxidizing substances, and/or heavy metal ions, polymerization with heat release is possible.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

### **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- · Acute toxicity
- · LD/LC50 values relevant for classification:

methyl methacrylate LD-50 oral >5000 mg/kg rat (lit.)

LD-50 inhalativ 7093 ppm/4h rat (lit.)

tetramethylene dimethacrylate LD-50 oral > 5000 mg/kg (rat)

- Skin corrosion/irritation Causes skin irritation.
- Respiratory or skin sensitisation May cause an allergic skin reaction.
- **STOT-single exposure** May cause respiratory irritation.
- · 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

· 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

• Type of test Effective concentration Method Assessment

- Toxicity to fish: LC-50: >79 mg/l OECD 203
  - (MMA) NOEC: 40 mg/l ISO 7346

*Time: 96 h EEC84* 

(Contd. on page 6)

GB

Printing date 05.05.2022

\*

\*

Version: 14 (replaces version 13)

Revision: 05.05.2022

Trade name: Futura Press LT Flüssigkeit

а ;	(Contd. of page
Species: Oncorhynchus mykiss	
Oncornynchus mykiss	
<i>Toxicity to Micro- ECO: 100 mg/l</i>	starting inhibition
	of cell growth
(MMA) Pseudomonas putida	
• 12.2 Persistence and degradability No fur	rther relevant information available.
Behaviour in environmental systems:	
· Components:	
methyl methacrylate Biodegradability:	30,7 %
Time: 28 d	
Method: OECD 3	
	to decompose
• <b>12.3 Bioaccumulative potential</b> No furthe • <b>12.4 Mobility in soil</b> No further relevant in	
· 12.5 Results of PBT and vPvB assessmen	
• <b><i>PBT:</i></b> Not applicable.	
• <b>vPvB:</b> Not applicable.	
	r information on endocrine disrupting properties see section 11.
· 12.7 Other adverse effects	
Additional ecological information:	
· General notes:	
	n) (Self-assessment): slightly hazardous for water.
	e quantities of it to reach ground water, water course or sewa
system.	
SECTION 13: Disposal considera · 13.1 Waste treatment methods · Recommendation Must be specially treated adhering to offic	
• 13.1 Waste treatment methods • Recommendation Must be specially treated adhering to offic Must not be disposed together with house • Uncleaned packaging:	cial regulations. hold garbage. Do not allow product to reach sewage system.
• <b>13.1 Waste treatment methods</b> • <b>Recommendation</b> Must be specially treated adhering to offic Must not be disposed together with house	cial regulations. hold garbage. Do not allow product to reach sewage system. e according to official regulations.
<ul> <li>13.1 Waste treatment methods</li> <li>Recommendation <ul> <li>Must be specially treated adhering to offic</li> <li>Must not be disposed together with house</li> </ul> </li> <li>Uncleaned packaging: <ul> <li>Recommendation: Disposal must be made</li> </ul> </li> <li>SECTION 14: Transport information: 14.1 UN number or ID number</li> </ul>	cial regulations. hold garbage. Do not allow product to reach sewage system. e according to official regulations. <mark>tion</mark>
<ul> <li>13.1 Waste treatment methods</li> <li>Recommendation Must be specially treated adhering to office Must not be disposed together with housel </li> <li>Uncleaned packaging: Recommendation: Disposal must be made </li> <li>SECTION 14: Transport informate 14.1 UN number or ID number ADR, IMDG, IATA</li></ul>	cial regulations. hold garbage. Do not allow product to reach sewage system. e according to official regulations.
<ul> <li>13.1 Waste treatment methods</li> <li>Recommendation Must be specially treated adhering to office Must not be disposed together with housel </li> <li>Uncleaned packaging: Recommendation: Disposal must be made </li> <li>SECTION 14: Transport informate 14.1 UN number or ID number ADR, IMDG, IATA </li> <li>14.2 UN proper shipping name</li></ul>	cial regulations. hold garbage. Do not allow product to reach sewage system. e according to official regulations. <b>tion</b> UN1247
<ul> <li>13.1 Waste treatment methods</li> <li>Recommendation Must be specially treated adhering to office Must not be disposed together with housel </li> <li>Uncleaned packaging: Recommendation: Disposal must be made </li> <li>SECTION 14: Transport informate 14.1 UN number or ID number ADR, IMDG, IATA</li></ul>	cial regulations. hold garbage. Do not allow product to reach sewage system. e according to official regulations. tion UN1247 1247 METHYL METHACRYLATE MONOME
<ul> <li>13.1 Waste treatment methods</li> <li>Recommendation Must be specially treated adhering to office Must not be disposed together with housel </li> <li>Uncleaned packaging: Recommendation: Disposal must be made </li> <li>SECTION 14: Transport informate 14.1 UN number or ID number ADR, IMDG, IATA </li> <li>14.2 UN proper shipping name</li></ul>	cial regulations. hold garbage. Do not allow product to reach sewage system. e according to official regulations. <b>tion</b> UN1247 1247 METHYL METHACRYLATE MONOMET STABILIZED mixture
<ul> <li>13.1 Waste treatment methods</li> <li>Recommendation Must be specially treated adhering to offic Must not be disposed together with housel</li> <li>Uncleaned packaging:</li> <li>Recommendation: Disposal must be made</li> <li>SECTION 14: Transport information</li> <li>14.1 UN number or ID number</li> <li>ADR, IMDG, IATA</li> <li>14.2 UN proper shipping name</li> <li>ADR</li> <li>IMDG, IATA</li> </ul>	cial regulations. hold garbage. Do not allow product to reach sewage system. e according to official regulations. tion UN1247 I 247 METHYL METHACRYLATE MONOMET STABILIZED mixture METHYL METHACRYLATE MONOMER, STABILIZE
<ul> <li>13.1 Waste treatment methods</li> <li>Recommendation Must be specially treated adhering to offic Must not be disposed together with housel</li> <li>Uncleaned packaging:</li> <li>Recommendation: Disposal must be made</li> <li>SECTION 14: Transport information</li> <li>14.1 UN number or ID number</li> <li>ADR, IMDG, IATA</li> <li>14.2 UN proper shipping name</li> <li>ADR</li> <li>IMDG, IATA</li> <li>14.3 Transport hazard class(es)</li> </ul>	cial regulations. hold garbage. Do not allow product to reach sewage system. e according to official regulations. tion UN1247 I 247 METHYL METHACRYLATE MONOMET STABILIZED mixture METHYL METHACRYLATE MONOMER, STABILIZE
<ul> <li>13.1 Waste treatment methods</li> <li>Recommendation Must be specially treated adhering to offic Must not be disposed together with housel</li> <li>Uncleaned packaging:</li> <li>Recommendation: Disposal must be made</li> <li>SECTION 14: Transport information</li> <li>14.1 UN number or ID number</li> <li>ADR, IMDG, IATA</li> <li>14.2 UN proper shipping name</li> <li>ADR</li> <li>IMDG, IATA</li> </ul>	cial regulations. hold garbage. Do not allow product to reach sewage system. e according to official regulations. tion UN1247 I 247 METHYL METHACRYLATE MONOMET STABILIZED mixture METHYL METHACRYLATE MONOMER, STABILIZE
<ul> <li>13.1 Waste treatment methods</li> <li>Recommendation Must be specially treated adhering to offic Must not be disposed together with housel</li> <li>Uncleaned packaging:</li> <li>Recommendation: Disposal must be made</li> <li>SECTION 14: Transport information</li> <li>14.1 UN number or ID number</li> <li>ADR, IMDG, IATA</li> <li>14.2 UN proper shipping name</li> <li>ADR</li> <li>IMDG, IATA</li> <li>14.3 Transport hazard class(es)</li> </ul>	cial regulations. hold garbage. Do not allow product to reach sewage system. e according to official regulations. tion UN1247 I 247 METHYL METHACRYLATE MONOMET STABILIZED mixture METHYL METHACRYLATE MONOMER, STABILIZE
<ul> <li>13.1 Waste treatment methods</li> <li>Recommendation Must be specially treated adhering to offic Must not be disposed together with housel</li> <li>Uncleaned packaging:</li> <li>Recommendation: Disposal must be made</li> <li>SECTION 14: Transport information</li> <li>14.1 UN number or ID number</li> <li>ADR, IMDG, IATA</li> <li>14.2 UN proper shipping name</li> <li>ADR</li> <li>IMDG, IATA</li> <li>14.3 Transport hazard class(es)</li> </ul>	cial regulations. hold garbage. Do not allow product to reach sewage system. e according to official regulations. tion UN1247 I 247 METHYL METHACRYLATE MONOMET STABILIZED mixture METHYL METHACRYLATE MONOMER, STABILIZE

Printing date 05.05.2022

Version: 14 (replaces version 13)

Revision: 05.05.2022

Trade name: Futura Press LT Flüssigkeit

	(Contd. of page
Label	3
IMDG, IATA	
Class Label	3 Flammable liquids. 3
· 14.4 Packing group · ADR, IMDG, IATA	II
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category Stowage Code	Warning: Flammable liquids. 33 F-E,S-D B SW2 Clear of living quarters.
14.7 Maritime transport in bulk according to IM instruments	10 Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2 D/E
IMDG Limited quantities (LQ) Excepted quantities (EQ)	IL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1247 METHYL METHACRYLATE MONOMEL STABILIZED MIXTURE, 3, II

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category P5c FLAMMABLE LIQUIDS

• Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

· National regulations

· Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

(Contd. on page 8)

GB

Printing date 05.05.2022

Version: 14 (replaces version 13)

Revision: 05.05.2022

(Contd. of page 7)

#### Trade name: Futura Press LT Flüssigkeit

· Technical instructions (air):

Class	Share in %
II	75-100
III	2,5-10

• Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant phrases

H225 Highly flammable liquid and vapour. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. • Department issuing SDS: F & E

Schütz Dental GmbH

· Contact: Advisory service dep.

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1B: Skin sensitisation - Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 • \* Data compared to the previous version altered.