Printing date 18.04.2018

Version: 7

Revision: 18.04.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: Micronium N 10

· Article number: 610120-1

 \cdot 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

• Application of the substance / the mixture see point 3)

 \cdot 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier:

Schütz Dental GmbH, Dieselstrasse 5-6, D-61191 Rosbach v.d.H. (Germany) Tel.: +49 (0)6003/814-0 Fax: +49 (0)6003/814-900 www.schuetz-dental.de; e-mail: info@schuetz-dental.de

• Further information obtainable from: F&E, Tel. +49 (0)6003/814-100

1.4 Emergency telephone number:

+49 (0) 6003 8140 Schütz Dental (8:00 - 17:00 Uhr) or

+49 (0) 6131 19240 Poison Information Center, University Mainz (24 h)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 4 H413 May cause long lasting harmful effects to aquatic life.

• Additional information:

In its quality as a compact metal, this product is not subject to any labelling obligation due to the calculation method of the "General Classification Guideline for Preparations of the EU" as issued in the latest valid version.

The following labelling does not apply to the alloy, but to possible vapors, fumes and gases that may be produced during processing.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

cobalt

• Hazard statements

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H413 May cause long lasting harmful effects to aquatic life.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves.

- *P284* [In case of inadequate ventilation] wear respiratory protection.
- *P321* Specific treatment (see on this label).

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

according to 1907/2006/EC, Article 31						
Printing date 18.04.2018		Version: 7	Revision: 18.04.201			
Trade name: Micronium	N 10					
• 2.3 Other hazards • Results of PBT and v • PBT: Not applicable. • vPvB: Not applicable.			(Contd. of page 1			
SECTION 3: Con · 3.2 Chemical charact · Description:		ation on ingredients	5			
Metal alloy C Mn Si Cr	Mo Co					
0,4 0,7 0,7	27,5 5,7 65	(%)				
· Dangerous componer	ıts:					
	cobalt 🕹 Resp. Sens. 1, H3	34; 🗘 Skin Sens. 1, H3	50-75% 17; Aquatic Chronic 4, H413			
CAS: 7440-47-3	chromium	nmunity workplace expo	25-50%			

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information No special measures required.
- · After inhalation

*

Supply fresh air; consult doctor in case of complaints.

- Rinse nose and throat thoroughly with water.
- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Seek medical treatment.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents Special powder for metal fires. Do not use water.
- · For safety reasons unsuitable extinguishing agents Water.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
- Use respiratory protective device against the effects of fumes/dust/aerosol. • 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 *Methods and material for containment and cleaning up:* Pick up mechanically.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

GE

Printing date 18.04.2018

Version: 7

Revision: 18.04.2018

(Contd. of page 2)

Trade name: Micronium N 10

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Extractors are required on all machines used for thermal processing or splinter removal processes. Prevent formation of dust.

- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles:
- The packages are to be secured against sliding, tilting, rolling, and falling.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

Dust MAK 6 mg/m3 1317-35-7 Manganese oxide MAK: 1 mg/m3

Cobalt oxide

MAK: 0,1 mg/m3 (TRK)

7440-48-4 cobalt

WEL Long-term value: 0.1 mg/m³ as Co; Carc, Sen

7440-47-3 chromium

WEL Long-term value: 0.5 mg/m³

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Personal protective equipment
- · General protective and hygienic measures
- The usual precautionary measures are to be adhered to when handling chemicals.
- Respiratory protection:

Use suitable respiratory protective device when high concentrations are present. Dust protective mask Filter P2.

- **Protection of hands:** Protective gloves.
- · Material of gloves
- Butyl rubber, BR

Nitrile rubber, NBR

Natural rubber, NR

· Penetration time of glove material

0,3 mm

Penetration time 60 min.

0,11 mm

Penetration time 10 min.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

GB

Printing date 18.04.2018

Version: 7

Revision: 18.04.2018

Trade name: Micronium N 10

· Eye protection: Tightly sealed goggles.

SECTION 9: Physical and chem	ical properties
• 9.1 Information on basic physical and c	chemical properties
· General Information	<i>p</i> : • <i>p</i> • • • • •
· Appearance:	
Form:	Solid.
Colour:	Silver-coloured
· Odour:	Odourless
• Odour threshold:	Not determined.
pH-value:	Not applicable.
· Change in condition	
Melting point/freezing point:	undetermined
Initial boiling point and boiling range	e: undetermined
· Flash point:	Not applicable
· Flammability (solid, gaseous)	Not determined.
· Ignition temperature:	
Decomposition temperature:	Not determined.
• Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
• Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not applicable.
· Density at 20 °C:	$8,2 \ g/cm^3$
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Not determined
Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

(Contd. on page 5)

GB

(Contd. of page 3)

Printing date 18.04.2018

Version: 7

Revision: 18.04.2018

Trade name: Micronium N 10

(Contd. of page 4)

	11.1 Information on toxicological effects Acute toxicity Based on available data, the classification criteria are not met.
Ì	LD/LC50 values relevant for classification:
2	7440-48-4 cobalt
(Oral LD50 6,170 mg/kg (rat)
j	Primary irritant effect:
2	Skin corrosion/irritation Based on available data, the classification criteria are not met.
2	Serious eye damage/irritation Based on available data, the classification criteria are not met.
Ì	Respiratory or skin sensitisation
Ì	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Ì	May cause an allergic skin reaction.
1	Additional toxicological information:
	When grinding the material dust is developed, the composition of which is dependant on the chemic
	analysis. These oxides are non-toxic, but put stress on the lungs. Mostly oxides, which are set free:
	Si
-	Мо
	W
	Co
	Furthermore, manganese compounds, cobalt oxides and chromium oxides are developed. Avoid inhalation of grinding dust.
	CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
	Germ cell mutagenicity Based on available data, the classification criteria are not met.
	Carcinogenicity Based on available data, the classification criteria are not met.
	Reproductive toxicity Based on available data, the classification criteria are not met.
	STOT-single exposure Based on available data, the classification criteria are not met.
	STOT-repeated exposure Based on available data, the classification criteria are not met.
	Aspiration hazard Based on available data, the classification criteria are not met.
	· · · · · · · · · · · · · · · · · · ·

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water danger class 3 (German Regulation) (Self-assessment): extremely hazardous for water. Do not allow product to reach ground water, water course or sewage system, even in small quantities.

- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

- · Recommendation
- Contact waste processors for recycling information.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

06 04 05* wastes containing other heavy metals

(Contd. on page 6)

GB

Version: 7

Revision: 18.04.2018

Trade name: Micronium N 10

· Uncleaned packaging:

· Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product. Disposal must be made according to official regulations.

SECTION 14: Transport information	tion
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
• 14.6 Special precautions for user • Danger code (Kemler):	Not applicable. -
· 14.7 Transport in bulk according to Ann. Marpol and the IBC Code	ex II of Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations

• Technical instructions (air):

Class	Share in %
II	50-75
III	25-50

• Waterhazard class: Water danger class 3 (Self-assessment): extremely hazardous for water. • 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H317 May cause an allergic skin reaction.H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.H413 May cause long lasting harmful effects to aquatic life.

• Department issuing SDS: F & E

(Contd. on page 7)

(Contd. of page 5)

GB

Printing date 18.04.2018

Version: 7

Revision: 18.04.2018

Trade name: Micronium N 10

(Contd. of page 6)	
• Contact: Dr. U. Krichbaum	
· Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the	
International Transport of Dangerous Goods by Rail)	
ICAO: International Civil Aviation Organisation	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International	
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Resp. Sens. 1: Respiratory sensitisation – Category 1	
Skin Sens. 1: Skin sensitisation – Category 1	
Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4	
\cdot * Data compared to the previous version altered.	
GB	3 —