

Printing date 10.07.2019

Version: 8

Revision: 10.07.2019

Trade name: PaintAcryl Pulver

· Hazard s	(Contd. of page 1)
	ay cause an allergic skin reaction.
	onary statements
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves.
P362+P.	364 Take off contaminated clothing and wash it before reuse.
	313 If skin irritation or rash occurs: Get medical advice/attention.
P321	Specific treatment (see on this label).
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· 2.3 Other	
· Results o	of PBT and vPvB assessment
	ot applicable.
	ot applicable.
SECTI	ON 3: Composition/information on ingredients
2.2.01	nical characterisation: Mixtures

3.2 Chemical characterisation: Mixtures
 Description: Acryl-resin on base of polyethylmethacrylate.

· Dangerous components:

CAS: 94-36-0 dibenzoyl peroxide

EINECS: 202-327-6 🐼 🚱 Org. Perox. B, H241; 🚯 Eye Irrit. 2, H319; Skin Sens. 1, H317

<2.5%

• Additional information For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

#### • 4.1 Description of first aid measures

- · General information Immediately remove any clothing soiled by the product.
- After inhalation
- Rinse nose and throat thoroughly with water.

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact

If skin irritation continues, consult a doctor.

- Immediately wash with water and soap and rinse thoroughly.
- · After eye contact Rinse opened eye for several minutes under running water.
- After swallowing Rinse out mouth and then drink plenty of water.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- $\cdot$  Suitable extinguishing agents

Carbon dioxide

Fire-extinguishing powder

Foam Water haze

· For safety reasons unsuitable extinguishing agents Water with full jet.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

• 5.3 Advice for firefighters

· Protective equipment: No special measures required.

(Contd. on page 3)

Printing date 10.07.2019

Version: 8

Revision: 10.07.2019

Trade name: PaintAcryl Pulver

(Contd. of page 2)

#### **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures Avoid eye and skin contact with the substance.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- · 6.4 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling Prevent formation of dust.

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

- Requirements to be met by storerooms and receptacles: Storage between 10 °C and 25 °C.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Store in dry conditions.
- · 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

94-36-0 dibenzoyl peroxide

WEL Long-term value: 5 mg/m<sup>3</sup>

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures
- The usual precautionary measures are to be adhered to when handling chemicals.
- · Respiratory protection: Not necessary if room is well-ventilated. Use suitable respiratory protective device when high concentrations are present. Dust protective mask Filter P2. · Protection of hands: Protective gloves.
- · Material of gloves Butyl rubber, BR
- Nitrile rubber, NBR · Penetration time of glove material 0,3 mm Penetration time 60 min. 0.11 mm Penetration time 10 min.

(Contd. on page 4)

GB

Printing date 10.07.2019

Version: 8

Revision: 10.07.2019

(Contd. of page 3)

Trade name: PaintAcryl Pulver

· Eye protection: Safety glasses

SECTION 9: Physical and chemi	cal properties
• 9.1 Information on basic physical and c	hemical properties
· General Information	
· Appearance:	
Form:	Powder
Colour:	Red
• Odour:	Nearly odourless
· Odour threshold:	Not determined.
· pH-value:	Not determined
· Change in condition	
Melting point/freezing point:	110 °C
Initial boiling point and boiling range	: undetermined
· Flash point:	>220 °C
· Flammability (solid, gaseous)	Not determined.
· Ignition temperature:	>400 °C
· Decomposition temperature:	Not determined.
• Auto-ignition temperature:	Product is not selfigniting.
• Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined
Upper:	Not determined
· Vapour pressure:	Not determined
Density at 20 °C:	1.16 g/cm <sup>3</sup>
· Bulk density:	700-750 kg/m <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Insoluble
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
dynamic:	Not applicable.
kinematic:	Not determined
· Solvent content:	
Solids content:	100.0 %
· 9.2 Other information	No further relevant information available.

# SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known

(Contd. on page 5)

Printing date 10.07.2019

Version: 8

Revision: 10.07.2019

(Contd. of page 4)

Trade name: PaintAcryl Pulver

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

At temperatures above 250°C, depolymerisation and the release of starting monomers can arise

### **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

Dibenzoyl peroxide 78% LD-50 oral > 5000 mg/kg rat (lit.)

• Primary irritant effect:

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure Based on available data, the classification criteria are not met.
- $\cdot \textit{STOT-repeated exposure Based on available data, the classification criteria are not met.}$
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must be specially treated adhering to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

### · European waste catalogue

07 02 13 waste plastic

(Contd. on page 6)

Printing date 10.07.2019	Version: 8	

Revision: 10.07.2019

(Contd. of page 5)

Trade name: PaintAcryl Pulver

· Uncleaned packaging:

· Recommendation:

×

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport informat	ion
14.1 UN-Number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Anne Marpol and the IBC Code	ex II of Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

# SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations

• Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H241 Heating may cause a fire or explosion. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

• Department issuing SDS: F & E

· Contact: Dr. U. Krichbaum

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 7)

GB

Printing date 10.07.2019

Version: 8

Revision: 10.07.2019

(Contd. of page 6)

#### Trade name: PaintAcryl Pulver

IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Org. Perox. B: Organic peroxides – Type B
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
\* Data compared to the previous version altered.