according to UK REACH Regulation

Tizian Blank NEM

Revision date: 31.03.2025 Product code: 220100 - 220105 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Tizian Blank NEM

Further trade names

Art.-Nr.: 220100-220105, 220117-220119

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Dentallegierung / dental alloy

1.3. Details of the supplier of the safety data sheet

Company name: Schütz Dental GmbH Street: Dieselstrasse 5-6

Place: D-61191 Rosbach (Germany)

Telephone: +49 (0) 6003 814-0 Telefax: +49 (0) 6003 814-906

E-mail: info@schuetz-dental.de

Contact person: Dr. Uwe Krichbaum Telephone: +49 (0) 6003 814-650

Internet: www.schuetz-dental.de
Responsible Department: Technische Dokumentation

1.4. Emergency telephone +49 (0) 6003 814-0 Schütz Dental (8:00 - 17:00 Uhr) or +49 (0) 6131 19240

number: University Mainz (24 h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Carc. 1B; H350 Muta. 2; H341 Repr. 1B; H360F Resp. Sens. 1; H334 Skin Sens. 1; H317 Aquatic Chronic 4; H413

Full text of hazard statements: see SECTION 16.

In its quality as a compact metal, this product is not subject to any labelling obligation due to the calculation method of the "General Classification Guideline for Preparations of the EU" as issued in the latest valid version. The following labelling does not apply to the alloy, but to possible vapors, fumes and gases that may be produced during processing.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

cobalt

Signal word: Danger

Pictograms:



Hazard statements

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H341 Suspected of causing genetic defects.

according to UK REACH Regulation

Tizian Blank NEM

Revision date: 31.03.2025 Product code: 220100 - 220105 Page 2 of 9

H350 May cause cancer. H360F May damage fertility.

H413 May cause long lasting harmful effects to aquatic life.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P284 Wear respiratory protection.

P302+P352 IF ON SKIN: Wash with plenty of Water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P362+P364 Take off contaminated clothing and wash it before reuse.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

P501 Dispose of waste according to applicable legislation.

Special labelling of certain mixtures

Restricted to professional users.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Pictograms:



Hazard statements

H317-H334-H341-H350-H360F-H413

Precautionary statements

P261-P280-P284-P302+P352-P304+P340-P362+P364-P342+P311-P501

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
7440-48-4	cobalt			50 - < 75 %
	231-158-0	027-001-00-9		
	Carc. 1B, Muta. 2, Repr. 1B, Resp. Sens. 1, Skin Sens. 1, Aquatic Chronic 4; H350 H341 H360F H334 H317 H413			
7440-47-3	chromium			25 - < 50 %
	231-157-5			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7440-48-4	231-158-0	cobalt	50 - < 75 %
	oral: LD50 = 6.170 mg/kg mg/kg		

according to UK REACH Regulation

Tizian Blank NEM

Revision date: 31.03.2025 Product code: 220100 - 220105 Page 3 of 9

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. Rinse mouth thoroughly with water. Call a doctor if you feel unwell.

After contact with skin

Wash with plenty of water and soap.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Protect uninjured eye. Consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink 1 glass of of water. Call a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Special treatment D (Fires of metals)

Unsuitable extinguishing media

Water

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Metal oxide smoke, toxic

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid dust formation.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe

according to UK REACH Regulation

Tizian Blank NEM

Revision date: 31.03.2025 Product code: 220100 - 220105 Page 4 of 9

gas/fumes/vapour/spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Dentallegierung / dental alloy

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7440-47-3	Chromium	-	0.5		TWA (8 h)	WEL
7440-21-3	Silicon, inhalable dust	-	10		TWA (8 h)	WEL
7440-33-7	Tungsten	-	5		TWA (8 h)	WEL
		-	10		STEL (15 min)	WEL

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

Tested protective gloves must be worn

Suitable material:

Butyl caoutchouc (butyl rubber)

NBR (Nitrile rubber)

NR (natural rubber, Natural latex)

Permeation time (maximum wear duration): 0,3 mm: 60 min. Permeation time (maximum wear duration): 0,11 mm: 10 min.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Filter type: FFP2 / P3

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: solid, discs

Colour:

Odour: odourless

Melting point/freezing point: 1.345-1.385 °C

according to UK REACH Regulation

Tizian Blank NEM

Revision date: 31.03.2025 Product code: 220100 - 220105 Page 5 of 9

Boiling point or initial boiling point and > 2.000 °C

boiling range:

Flammability: not determined Lower explosion limits: not determined Upper explosion limits: not determined Flash point: unbekannt Auto-ignition temperature: not determined not determined Decomposition temperature: pH-Value: not determined Viscosity / kinematic: not applicable Water solubility: No

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density:

Relative vapour density:

Particle characteristics:

not determined

8,55 g/cm³

not determined

not determined

not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Solid content: 100 %

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Page 6 of 9

Safety Data Sheet

according to UK REACH Regulation

Tizian Blank NEM Revision date: 31.03.2025 Product code: 220100 - 220105

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7440-48-4	cobalt				
		LD50 6.170 mg/kg mg/kg			

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled. (cobalt)

May cause an allergic skin reaction. (cobalt)

Carcinogenic/mutagenic/toxic effects for reproduction

May cause cancer. (cobalt)

Suspected of causing genetic defects. (cobalt)

May damage fertility. (cobalt)

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

May cause long lasting harmful effects to aquatic life.

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment. Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

according to UK REACH Regulation

Tizian Blank NEM

Product code: 220100 - 220105 Revision date: 31.03.2025 Page 7 of 9

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. For recycling, contact recycling exchanges. Recycling/reclamation of metals and metal compounds

List of Wastes Code - residues/unused products

WASTES FROM INORGANIC CHEMICAL PROCESSES; metal-containing wastes other than those

mentioned in 06 03; wastes containing other heavy metals; hazardous waste

Contaminated packaging

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

No dangerous good in sense of this transport regulation. 14.1. UN number or ID number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group:

Marine transport (IMDG)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group:

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28, Entry 40, Entry 75

Information according to Directive

2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Water hazard class (D): 3 - highly hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

according to UK REACH Regulation

Tizian Blank NEM

Revision date: 31.03.2025 Product code: 220100 - 220105 Page 8 of 9

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2.

Abbreviations and acronyms

Resp. Sens: Respiratory sensitisation

Skin Sens: Skin sensitisation Muta: Germ cell mutagenicity Carc: Carcinogenicity Repr: Reproductive toxicity

Aquatic Chronic: Chronic aquatic hazard CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

EC/EEC: European Community/European Economic Community

EU: European Union

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

M-factor: Multiplying factor

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure	
Carc. 1B; H350	Calculation method	
Muta. 2; H341	Calculation method	
Repr. 1B; H360F	Calculation method	
Resp. Sens. 1; H334	Calculation method	
Skin Sens. 1; H317	Calculation method	
Aquatic Chronic 4; H413	Calculation method	

according to UK REACH Regulation

Tizian Blank NEM

Revision date: 31.03.2025 Product code: 220100 - 220105 Page 9 of 9

Relevant H and EUH statements (number and full text)

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer. H360F May damage fertility.

H413 May cause long lasting harmful effects to aquatic life.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)