Printing date 25.01.2016

\*

\*

\_

# Version: 4

Revision: 25.01.2016

Thing dule 25.0	01.2010 Version. 4	Kevision: 25.01.2010
SECTION	<b>1: Identification of the substance/mixture and of the compan</b>	w/undertaking
		5
· 1.1 Product i	-	
	: dialog Pastenopaker	
• <b>1.2 Relevant</b> No further rel	<b>ber:</b> 644070-644089 t <b>identified uses of the substance or mixture and uses advised against</b> elevant information available. <b>of the substance / the mixture</b> Masking material	
• <b>Manufacture</b> Schütz Dentau Tel.: +49 (0)	of the supplier of the safety data sheet er/Supplier: al GmbH, Dieselstrasse 5-6, D-61191 Rosbach v.d.H. (Germany) )6003/814-0 Fax: +49 (0)6003/814-900 z-dental.de; e-mail: info@schuetz-dental.de	
• <b>1.4 Emergen</b> +49 (0) 6003	ormation obtainable from: F&E, Tel. +49 (0)6003/814-100 ncy telephone number: 3 8140 Schütz Dental (8:00 - 17:00 Uhr) or 1 19240 Poison Information Center, University Mainz (24 h)	
<b>SECTION</b>	2: Hazards identification	
	ation of the substance or mixture	
•	n according to Regulation (EC) No 1272/2008	
	H315 Causes skin irritation.	
	H319 Causes serious eye irritation.	
Skin Sens. 1	H317 May cause an allergic skin reaction.	
	cording to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation.	
· Signal word	Warning	
<ul> <li>Hazard-deter tetramethylen diphenyl(2,4,</li> <li>Hazard stater H315 Causes H319 Causes H317 May ca</li> <li>Precautionar P261</li> </ul>	rmining components of labelling: ne dimethacrylate ,6- trimethylbenzoyl)phosphine oxide ements s skin irritation. s serious eye irritation. ause an allergic skin reaction. ry statements Avoid breathing dust/fume/gas/mist/vapours/spray.	
P280 P305+P351+	Wear protective gloves/protective clothing/eye protection/face protect +P338 IF IN EYES: Rinse cautiously with water for several minutes. Rem present and easy to do. Continue rinsing.	
P321	Specific treatment (see on this label).	
P362	Take off contaminated clothing and wash before reuse.	
P501	Dispose of contents/container in accordance with local/regional/r regulations.	national/international
1001	regulations	

Printing date 25.01.2016

Version: 4

Revision: 25.01.2016

(Contd. of page 1)

Trade name: dialog Pastenopaker

· Labelling of packages where the contents do not exceed 125 ml · Hazard pictograms



#### · Signal word Warning

· Hazard-determining components of labelling: tetramethylene dimethacrylate

diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide

- · Hazard statements
- H317 May cause an allergic skin reaction.
- · Precautionary statements
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P321 Specific treatment (see on this label).
- P363 Wash contaminated clothing before reuse.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

· 3.2 Chemical characterisation: Mixtures

· Description: Liquid based on methacryl acid ester, containing an activator.

#### · Dangerous components:

Dungerous components.		
CAS: 63225-53-6	Monofunktionelles Aliphatisches Urethanacrylat	2.5-10%
	🚸 Skin Irrit. 2, H315; Eye Irrit. 2, H319	-
CAS: 2082-81-7	tetramethylene dimethacrylate	2.5-10%
EINECS: 218-218-1	() Skin Sens. 1B, H317	-
CAS: 75980-60-8	diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide	< 2.5%
EINECS: 278-355-8	🗞 Repr. 2, H361f; 🚯 Aquatic Chronic 2, H411; 🚸 Skin Sens. 1B, H317	-
CAS: 10373-78-1	D,L-Campherchinon	< 2.5%
	() Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	-
· Additional informat	<b>ion</b> For the wording of the listed risk phrases refer to section 16.	

#### **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact
- Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing

Rinse out mouth and then drink plenty of water. Seek medical treatment.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3) GB

Printing date 25.01.2016

Version: 4

Revision: 25.01.2016

Trade name: dialog Pastenopaker

• **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.* 

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents Water with full jet.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

#### **SECTION 6: Accidental release measures**

• 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

Keep people at a distance and stay on the windward side.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- 6.4 Reference to other sections
   No dangerous substances are released.
   See Section 7 for information on safe handling
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- **Requirements to be met by storerooms and receptacles:** Storage between 10 °C and 25 °C.
- Close container immediately after use and protect product from light incidence.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

(Contd. of page 2)

Printing date 25.01.2016

Version: 4

Revision: 25.01.2016

Trade name: dialog Pastenopaker

8.2	Exposure	controls
-----	----------	----------

· Personal protective equipment

· General protective and hygienic measures

The usual precautionary measures are to be adhered to when handling chemicals.

• Respiratory protection: Not necessary if room is well-ventilated.

• Protection of hands: Protective gloves.

• Material of gloves Butyl rubber, BR

· Penetration time of glove material

0,1 - 0,2 mm

Penetration time: 5 min.

• Eye protection: Safety glasses

• Body protection: Protective work clothing.

9.1 Information on basic physical a	und chemical properties	
General Information		
Appearance:		
Form:	Pasty	
Colour:	According to product specification	
Odour:	Weak, characteristic	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	undetermined	
Boiling point/Boiling range:	101 °C	
Flash point:	101 °C	
Flammability (solid, gaseous)	Not applicable.	
Ignition temperature:	> 370 °C	
Decomposition temperature:	Not determined.	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not determined.	
Density:	Not determined	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
dynamic:	Not determined.	
kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0,0 %	

 $(Contd. \ of \ page \ 3)$ 

GB

Printing date 25.01.2016

Version: 4

Revision: 25.01.2016

(Contd. of page 4)

Trade name: dialog Pastenopaker

• 9.2 Other information

No further relevant information available.

#### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Exothermic polymerization
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:

In presence of radical formers (e. g. peroxides), deoxidizing substances, and/or heavy metal ions, polymerization with heat release is possible.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

## **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

- · LD/LC50 values relevant for classification:
- tetramethylene dimethacrylate LD-50 oral > 5000 mg/kg (rat) • Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation Causes serious eve irritation.
- Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water. Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- $\cdot$  12.6 Other adverse effects No further relevant information available.

(Contd. on page 6)

Printing date 25.01.2016

Version: 4

Revision: 25.01.2016

Trade name: dialog Pastenopaker

(Contd. of page 5)

#### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

#### · Recommendation

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

#### · European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

#### · Uncleaned packaging:

#### · Recommendation:

- Packagings that may not be cleansed are to be disposed of in the same manner as the product.
- · Recommended cleansing agents:

Alcohol

Acetone

#### **SECTION 14: Transport information**

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void		
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void		
· 14.3 Transport hazard class(es)	· 14.3 Transport hazard class(es)		
·ADR			
· Class	- (-)		
· ADN/R Class:	Void		
· 14.4 Packing group			
· ADR, IMDĞ, IATA	Void		
· 14.5 Environmental hazards:			
· Marine pollutant:	No		
· 14.6 Special precautions for user	Not applicable.		
· 14.7 Transport in bulk according to Annex II of			
Marpol and the IBC Code	Not applicable.		
· UN ''Model Regulation'':	Void		

#### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

· National regulations

- Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)

GB ·

Printing date 25.01.2016

Version: 4

Revision: 25.01.2016

# Trade name: dialog Pastenopaker

	(Contd. of page 6
Relevant phrases	
H315 Causes skin irritation.	
H317 May cause an allergic skin reaction.	
H319 Causes serious eye irritation.	
H335 May cause respiratory irritation.	
H361f Suspected of damaging fertility.	
H411 Toxic to aquatic life with long lasting effects.	
Department issuing MSDS: F & E	
Contact: Dr. U. Krichbaum	
Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses	par chemin de fer (Regulations Concerning th
International Transport of Dangerous Goods by Rail)	
ICAO: International Civil Aviation Organisation	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (Eu	ropean Agreement concerning the Internation
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2	
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2	
Skin Sens. 1: Sensitisation - Skin, Hazard Category 1	
Skin Sens. 1B: Sensitisation - Skin, Hazard Category 1B	
Repr. 2: Reproductive toxicity, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3	
Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 5	2
	2
* Data compared to the previous version altered.	